


CATALOGUE OF WOODEN GRILLS



acoustic4you
acoustic solutions



Tockky sp. z o.o. [Limited Liability Company] was established in the year 2019. We conduct sales of acoustic products for rooms, furniture equipment, bars, wooden grills, wooden elements for saunas, skirting boards and ceiling bars. The region of operations of our company is the Warsaw agglomeration; however, through our network of representatives we operate also on the whole territory of Poland, as well as in England, Norway, USA and Canada. The secret of our success are innovative furniture fitting products and reliability in approach to each client. We encounter each order with passion and treat it as priority in every case. The most demanding ones are a special kind of challenge, and those are the factor that generates constant development of our company. In compliance with demands of our investors we deliver the highest quality products and services. We collaborate with architects and professional construction-assembly companies. We are a dealer of the biggest producers of acoustic materials and furniture fitting in the world, such as: Fklisty, Corkbee, Wood's&wood, Tockky, Baux, Interior Panels. The products we offer characterize with the highest level of technological advancement while we manage to maintain competitive prices.

Our main business partner is a producer of furniture fitting:



FK DŘEVĚNÉ LIŠTY – wooden products for the demanding

The FK DŘEVĚNÉ LIŠTY company manufactures high quality wood products since 1928. Offer of this amazing business partner includes not only wooden bands, wooden profiles, frames and bars, but also individual wood products, including untypical propositions. The reason why the FK listwy drewniane company is present on the market for almost hundred years is foremost use of first-class materials and processing technologies. Additionally, it is also the high level of knowledge and many years of experience of workers which focus on optimal solutions. Presently, manufacturing is performed in 11 departments in general. They include hired over 160 experienced workers which take care of satisfaction of clients, sales persons, specialized sale points and companies of many industries all over the world. Diverse pallet of high-quality wood products:

- Wooden bands

Our warehouse of ready products of our own production stores over 300.000 meters of wooden bands of various type which can be found on our web site.

- Design panels

Original and inspiring design panels made of solid wood are impressive in their original style and they attract attention in any room. The new model is STEPWOOD® face-board panel with 3D effect, dukta, DF/DP, DF/DP

- Wooden bars

Production of bars made of many types of wood and profiles is adjusted to use in prefabricated houses, shopping centers, family houses, schools, historical buildings and numerous other objects of characteristics such as for example: bar lightening.

- Wooden grills

Decorative, overlapping or ventilation grills manufactured from solid wood in custom sizes ca constitute an interesting elements of interior design with practical use.

- Furniture accessories

Our company FK DŘEVĚNÉ LIŠTY spol. s r.o. Czech Republic specializes in processing solid wood bands and elements. We guarantee professional approach, high quality materials and delivery of original carved bands and sculptures made of solid wood.

Thanks to optimized methods we realize any requests of our client in short notice and we offer:

- Solid wood bands:
- Profiles, engraved, floor, rebate, corner, set, ceiling, image, wooden bars for handrails, profiled and cornice crowning moldings, carved and spiral bands,
- foil coated bands (paper, CPL, PVC and metal laminate) and veneer
- frames
- decorative and ventilation wooden grills
- carvings
- lipping
- pilaster strips
- frames for internal and external doors
- circle quarters
- arcs
- round handles
- handrail handles (wooden, metal)
- wooden balustrades for staircases in residential blocks
- wooden handrails
- arcs for handles
- individual handrails handles
- air intakes for kitchen devices
- ventilation openings into interior of air channels in doors (bathrooms, boiler rooms)
- filling of kitchen doors and other types of doors
- screens and partition walls
- balustrade filling
- construction plates (mix of wood and acryl)
- heaters covers
- 3D planks as solid wood covers for use inside building and for room acoustics


Quality is the key factor in manufacture of our products! We produce tools for creating profile bands or its elements by ourselves, we have a tour disposal in our warehouse various types of wood and extensive selection of bands. We offer products made of all the trees and bushes available on the market. The lumber is created fully from renewable sources. On client's request we provide coating, coloring and impregnating. We have a tour disposal UV coating technology for profiled products. If you are looking for optimal solutions adjusted to your interior, family houses, offices or professional spaces, contact our experts. They will create for you truly original design elements. We guarantee excellent service for each client which provides fast and precise realization of any order, thus generating total satisfaction of every client.

CONTENTS

Pages

1. Decorative grills 45 °	4 – 9
2. Decorative grills 90 °	10 - 11
3. LG Type	12 - 13
4. LGB Type	14 - 15
5. LGES Type	16 – 19
6. LGF Type	20
7. LGFR Type	21
8. LGNS Type	22 - 23
9. LGRS Type	24 – 27
10. LGZS Type	28 – 30
11. UGV wooden grill	31
12. General information	32

decorative grills 45 ° ZG0803R08-45



bar: **8 x 3 mm**


opening: **8 mm**

thickness of net: **6 mm**
















angle: **45 °**

Product	Wood	Surface
ZG0803R08-45 JV	 Maple	with no surface processing
ZG0803R08-45 BK	 Steam beech	with no surface processing
ZG0803R08-45 DB	 Oak	with no surface processing
ZG0803R08-45 ERLER	 Alder	with no surface processing
ZG0803R08-45 SM	 Spruce	with no surface processing
ZG0803R08-45 JS	 asmine	with no surface processing


decorative grills 45 ° ZG1202R12-45



bar: 12 x 2 mm opening: 12 mm thickness of net: 4 mm angle: 45 ° Packaging : 7,2 m²

Product	Wood	Surface
ZG1202R12-45 JV	 Maple	with no surface processing
ZG1202R12-45 BR	 Birch	with no surface processing
ZG1202R12-45 BO	 Pine	with no surface processing
ZG1202R12-45 BK	 Steam beech	with no surface processing
ZG1202R12-45 DB	 Oak	with no surface processing
ZG1202R12-45 OL	 Alder	with no surface processing
ZG1202R12-45 SM	 Spruce	with no surface processing
ZG1202R12-45 JV	 Maple	with no surface processing
ZG1202R12-45 BR	 Birch	with no surface processing
ZG1202R12-45 BK	 Steam beech	with no surface processing
ZG1202R12-45 DB	 Oak	with no surface processing
ZG1202R12-45 OL	 Alder	with no surface processing
ZG1202R12-45 SM	 Spruce	with no surface processing
ZG1202R12-45 JS	 ash	with no surface processing
ZG1202R12-45 JS	 ash	with no surface processing

decorative grills 45 ° ZG1202R18-45



bar: **12 x 2 mm**


opening: **18 mm**

thickness of net: **4 mm**

















angle: **45 °**

Product	Wood	Surface
ZG1202R18-45 JV	 Maple	with no surface processing
ZG1202R18-45 BO	 Pine	with no surface processing
ZG1202R18-45 BK	 Steam beech	with no surface processing
ZG1202R18-45 DB	 Oak	with no surface processing
ZG1202R18-45 OL	 Alder	with no surface processing
ZG1202R18-45 SM	 Spruce	with no surface processing
ZG1202R18-45 JS	 Jasmine	with no surface processing


decorative grills 45 ° ZG1204R12-45



bar: **12 x 4 mm** opening: **12 mm** thickness of net: **8 mm** angle: **45 °** Packaging : **7,2 m²**

Product	Wood	Surface
ZG1204R12-45 JV	 Maple	with no surface processing
ZG1204R12-45 BR	 Birch	with no surface processing
ZG1204R12-45 BO	 Pine	with no surface processing
ZG1204R12-45 BK	 Steam beech	with no surface processing
ZG1204R12-45 DB	 Oak	with no surface processing
ZG1204R12-45 OL	 Alder	with no surface processing
ZG1204R12-45 SM	 Spruce	with no surface processing
ZG1204R12-45 JV	 Maple	with no surface processing
ZG1204R12-45 BR	 Birch	with no surface processing
ZG1204R12-45 BK	 Steam beech	with no surface processing
ZG1204R12-45 DB	 Oak	with no surface processing
ZG1204R12-45 OL	 Alder	with no surface processing
ZG1204R12-45 SM	 Spruce	with no surface processing
ZG1204R12-45 JS	 asmine	with no surface processing
ZG1204R12-45 JS	 asmine	with no surface processing
ZG1204R12-45 JS	 asmine	with no surface processing

decorative grills 45 ° ZG1204R18-45










bar: **12 x 4 mm**

opening: **18 mm**

thickness of net: **8 mm**

angle: **45 °**



Product	Wood	Surface
ZG1204R18-45 JV	 Maple	with no surface processing
ZG1204R18-45 BO	 Pine	with no surface processing
ZG1204R18-45 BK	 Steam beech	with no surface processing
ZG1204R18-45 DB	 Oak	with no surface processing
ZG1204R18-45 OL	 Alder	with no surface processing
ZG1204R18-45 SM	 Spruce	with no surface processing
ZG1204R18-45 JS	 Jasmine	with no surface processing

decorative grills 45 ° ZG1607 5R16-45




bar: **16 x 5/7 mm** opening: **16 mm** thickness of net: **12 mm** angle: **45 °**





Packaging : **7,2 m²**

Product	Wood	Surface
ZG1607 / 5R16-45 BK	 Steam beech	with no surface processing
ZG1607 / 5R16-45 BK	 Steam beech	with no surface processing

decorative grills 45 ° ZG2005R20-45









bar: **20 x 5 mm** opening: **20 mm** thickness of net: **10 mm** angle: **45 °**

Product	Wood	Surface
ZG2005R20-45 JV	 Maple	with no surface processing
ZG2005R20-45 BO	 Pine	with no surface processing
ZG2005R20-45 BK	 Steam beech	with no surface processing
ZG2005R20-45 SM	 Spruce	with no surface processing


decorative grills 90 ° ZG0803R08-90










bar: 8 x 3 mm opening: 8 mm thickness of net: 6 mm angle: 90 °

Product	Wood	Surface
ZG0803R08-90 JV	 Maple	with no surface processing
ZG0803R08-90 BO	 Pine	with no surface processing
ZG0803R08-90 BK	 Steam beech	with no surface processing
ZG0803R08-90 DB	 Oak	with no surface processing
ZG0803R08-90 SM	 Spruce	with no surface processing
ZG0803R08-90 JS	 asmine	with no surface processing


decorative grills 90° ZG1202R12-90










bar: 12 x 2 mm opening: 12 mm thickness of net: 4 mm angle: 90 °

Product	Wood	Surface
ZG1202R12-90 JV	 Maple	with no surface processing
ZG1202R12-90 BR	 Birch	with no surface processing
ZG1202R12-90 BO	 Pine	with no surface processing
ZG1202R12-90 BK	 Steam beech	with no surface processing
ZG1202R12-90 DB	 Oak	with no surface processing
ZG1202R12-90 OL	 Alder	with no surface processing
ZG1202R12-90 SM	 Spruce	with no surface processing
ZG1202R12-90 JS	 asmine	with no surface processing


decorative grills 90 ° ZG1204R18-90







bar: **12 x 4 mm** opening: **18 mm** thickness of net: **8 mm** angle: **90 °**

Product	Wood	Surface
ZG1204R18-90 JV	 Maple	with no surface processing
ZG1204R18-90 BO	 Pine	with no surface processing
ZG1204R18-90 BK	 Steam beech	with no surface processing
ZG1204R18-90 DB	 Oak	with no surface processing
ZG1204R18-90 OL	 Alder	with no surface processing
ZG1204R18-90 SM	 Spruce	with no surface processing
ZG1204R18-90 JS	 Jasmine	with no surface processing

Decorative grille 90 ° ZG2005R20-90



bar: **20 x 5 mm** opening: **20 mm** thickness of net: **10 mm** angle: **90 °**

Product	Wood	Surface
ZG2005R20-90 JV	 Maple	with no surface processing
ZG2005R20-90 BO	 Pine	with no surface processing
ZG2005R20-90 BK	 Steam beech	with no surface processing
ZG2005R20-90 SM	 Spruce	with no surface processing


Type LG

opening = 9 x 74 mm = air permeability 6,66 cm²

Ventilation grill of length 1973 mm has welt only on the long sides.

Untypical length of grill can be produced only in iteration of 89 mm (np. 550 mm, 639 mm),

LG ventilation grill is crosswise enclosed for better stability.






external size: **60 x 1973 mm** internal size: **44 x 1964 mm**

air permeability: **439 cm²** Packaging : **5 pieces**

Product	Wood	Surface
LG060-1973 JV	 Maple	with no surface processing
LG060-1973 BK	 Steam beech	with no surface processing
LG060-1973 DB	 Oak	with no surface processing
LG060-1973 OL	 Alder	with no surface processing
LG060-1973 SM	 Spruce	with no surface processing



external size: **60 x 550 mm** internal size: **44 x 541 mm** air permeability: **120 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LG060-550 BK	 Steam beech	with no surface processing
LG060-550 DB	 Oak	with no surface processing
LG060-550 SM	 Spruce	with no surface processing



external size: **80 x 1973 mm** internal size: **64 x 1964 mm** air permeability: **586 cm²** Packaging : **5 pieces**

Product	Wood	Surface
LG080-1973 JV	 Maple	with no surface processing
LG080-1973 BK	 Steam beech	with no surface processing
LG080-1973 DB	 Oak	with no surface processing
LG080-1973 OL	 Alder	with no surface processing
LG080-1973 SM	 Spruce	with no surface processing



external size: **80 x 550 mm** internal size: **64 x 541 mm** air permeability: **160 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LG080-550 JV	 Maple	with no surface processing
LG080-550 BK	 Steam beech	with no surface processing
LG080-550 DB	 Oak	with no surface processing
LG080-550 SM	 Spruce	with no surface processing



external size: **100 x 1973 mm** internal size: **84 x 1964 mm** air permeability: **732 cm²** Packaging : **5 pieces**

Product	Wood	Surface
LG100-1973 JV	 Maple	with no surface processing
LG100-1973 BK	 Steam beech	with no surface processing
LG100-1973 DB	 Oak	with no surface processing
LG100-1973 SM	 Spruce	with no surface processing

Type LGB







external size: **80 x 400 mm** internal size: **66 x 376 mm** air permeability: **65 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LGB080-400 BK	 Steam beech	with no surface processing
LGB080-400 DB	 Oak	with no surface processing
LGB080-400 OL	 Alder	with no surface processing







external size: **80 x 500 mm** internal size: **66 x 481 mm** air permeability: **85 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LGB080-500 JV	 Maple	with no surface processing
LGB080-500 BK	 Steam beech	with no surface processing
LGB080-500 DB	 Oak	with no surface processing
LGB080-500 OL	 Alder	with no surface processing



external size: **80 x 600 mm** internal size: **66x585 mm** air permeability: **100 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LGB080-600 JV	 Maple	with no surface processing
LGB080-600 BK	 Steam beech	with no surface processing
LGB080-600 DB	 Oak	with no surface processing
LGB080-600 OL	 Alder	with no surface processing



external size: **100x550 mm** internal size: **84 x 541 mm** air permeability: **200 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LG100-550 BK	 Steam beech	with no surface processing
LG100-550 DB	 Oak	with no surface processing
LG100-550 SM	 Spruce	with no surface processing





external size: **120 x 1973 mm** internal size: **104 x 1964 mm** air permeability: **879 cm²** Packaging : **5 pieces**

Product	Wood	Surface
LG120-1973 BK	 Steam beech	with no surface processing
LG120-1973 DB	 Oak	with no surface processing
LG120-1973 SM	 Spruce	with no surface processing



external size: **120 x 550 mm** internal size: **104 x 541 mm** air permeability: **240 cm²** Packaging : **10 pieces**

Product	Wood	Surface
LG120-550 JV	 Maple	with no surface processing
LG120-550 BK,	 Steam beech	with no surface processing
LG120-550 DB	 Oak	with no surface processing
LG120-550 SM	 Spruce	with no surface processing

Type LGES









internal size: **76x76 mm**

internal size: **62 x 62 mm**

air permeability: **12 cm²**

Packaging : **1 pieces**

Product	Wood	Surface
LGES060 BRL	 Birch	painting
LGES060 BK	 Steam beech	with no surface processing
LGES060 BR	 Birch	with no surface processing
LGES060 DB	 Oak	with no surface processing
LGES060 JV	 Maple	with no surface processing
LGES060 SM	 Spruce	with no surface processing

Type LGES



external size: **112x112 mm**

internal size: **96 x 96 mm**

air permeability: **30 cm²**

Packaging : **5 pieces**

Product	Wood	Surface
LGES100 JV	 Maple	with no surface processing
LGES100 BRL	 Birch	painting
LGES100 BK	 Steam beech	with no surface processing
LGES100 DB	 Oak	with no surface processing
LGES100 SM	 Spruce	with no surface processing

Type LGES



external size: **172 x 172 mm**

internal size: **156x156 mm**

air permeability: **77 cm²**

Packaging : **5 pieces**

Product	Wood	Surface
LGES160 JV	 Maple	with no surface processing
LGES160 BRL	 Birch	painting
LGES160 BK	 Steam beech	with no surface processing
LGES160 DB	 Oak	with no surface processing
LGES160 SM	 Spruce	with no surface processing

Type LGES



external size: **260 x 260 mm**


internal size: **240 x 240 mm**

air permeability: **205 cm²**

Packaging : **1 pieces**




Product	Wood	Surface
LGES240 BRL	 Birch	painting
LGES240 BK	 Steam beech	with no surface processing
LGES240 BKL	 Steam beech	olejowane
LGES240 BR	 Birch	with no surface processing
LGES240 DB	 Oak	with no surface processing
LGES240 JV	 Maple	with no surface processing
LGES240 SM	 Spruce	with no surface processing


Type LGF



external size: **80 x 600 mm** internal size: **60 x 580 mm** air permeability: **131 cm²**




Packaging : **10 pieces**

Product	Wood	Surface
LGF080-600 BK	 Beech	with no surface processing
LGF080-600 SM	 Spruce	with no surface processing
LGF080-600 DB	 Oak	with no surface processing




external size: **100 x 800 mm** internal size: **80 x 780 mm** air permeability: **285 cm²**




Packaging : **10 pieces**

Product	Wood	Surface
LGF100-800 BK	 Beech	with no surface processing
LGF100-800 SM	 Spruce	with no surface processing
LGF100-800 DB	 Oak	with no surface processing

Type LGFR










external size: **113 mm**
internal size: **99 mm**
air permeability: **27 cm²**
Packaging : **5 pieces**

Product	Wood	Surface
LGFR113 BK	 Beech	with no surface processing
LGFR113 SM	 Spruce	with no surface processing
LGFR113 DB	 Oak	with no surface processing








Type LGNS



external size: **67 x 550 mm** internal size: **53 x 536 mm** air permeability: **135 cm²** Packaging: 1 pieces

Product	Wood	Surface
LGNS060-550 BRL	 Birch	painting
LGNS060-550 BK	 Steam beech	with no surface processing
LGNS060-550 BKL	 Steam beech	painting
LGNS060-550 BR	 Birch	with no surface processing
LGNS060-550 DB	 Oak	with no surface processing
LGNS060-550 JV	 Maple	with no surface processing
LGNS060-550 SM	 Spruce	with no surface processing








external size: **82x550 mm** internal size: **68 x 536 mm** air permeability: **180 cm²** Packaging: 1 pieces

Product	Wood	Surface
LGNS080-550 BRL	 Birch	painting
LGNS080-550 BK	 Steam beech	with no surface processing
LGNS080-550 BKL	 Steam beech	painting
LGNS080-550 BR	 Birch	with no surface processing
LGNS080-550 DB	 Oak	with no surface processing
LGNS080-550 JV	 Maple	with no surface processing
LGNS080-550 SM	 Spruce	with no surface processing








Type LGNS



external size: **97x550 mm** internal size: **83 x 536 mm** air permeability: **225 cm²** Packaging: 1 pieces

Product	Wood	Surface
LGNS100-550 BRL	 Birch	painting
LGNS100-550 BK	 Steam beech	with no surface processing
LGNS100-550 BKL	 Steam beech	painting
LGNS100-550 BR	 Birch	with no surface processing
LGNS100-550 DB	 Oak	with no surface processing
LGNS100-550 JV	 Maple	with no surface processing
LGNS100-550 SM	 Spruce	with no surface processing

external size: **112x550 mm** internal size: **98 x 536 mm** air permeability: **270 cm²** Packaging: 1 pieces

Product	Wood	Surface
LGNS120-550 BRL	 Birch	painting
LGNS120-550 BK	 Steam beech	with no surface processing
LGNS120-550 BKL	 Steam beech	painting
LGNS120-550 BR	 Birch	with no surface processing
LGNS120-550 DB	 Oak	with no surface processing
LGNS120-550 JV	 Maple	with no surface processing
LGNS120-550 SM	 Spruce	with no surface processing

Type LGRS



external size: **74 mm**

internal size: **60 mm**

air permeability: **10 cm²**

Packaging : **5 pieces**

Product	Wood	Surface
LGRS060 JV	 Maple	with no surface processing
LGRS060 BRL	 Birch	painting
LGRS060 BK	 Steam beech	with no surface processing
LGRS060 DB	 Oak	with no surface processing
LGRS060 SM	 Spruce	with no surface processing

Type LGRS








external size: **112 mm**

internal size: **96 mm**

air permeability: **27 cm²**

Packaging : **5 pieces**

Product	Wood	Surface
LGRS100 JV	 Maple	with no surface processing
LGRS100 BRL	 Birch	painting
LGRS100 BK	 Steam beech	with no surface processing
LGRS100 DB	 Oak	with no surface processing
LGRS100 SM	 Spruce	with no surface processing

Type LGRS




external size: **139 mm**

internal size: **123 mm**

air permeability: **46 cm²**

Packaging : **1 pieces**

Product	Wood	Surface
LGRS125 JV	 Maple	with no surface processing
LGRS125 BK	 Steam beech	with no surface processing
LGRS125 DB	 Oak	with no surface processing
LGRS125 SM	 Spruce	with no surface processing

Type LGRS




external size: **172 mm**


internal size: **156 mm**

air permeability: **60 cm²**

Packaging : **5 pieces**








Product	Wood	Surface
LGRS160 JV	 Maple	with no surface processing
LGRS160 BRL	 Birch	painting
LGRS160 BK	 Steam beech	with no surface processing
LGRS160 DB	 Oak	with no surface processing
LGRS160 SM	 Spruce	with no surface processing

Type LGZS










external size: **60 x 550 mm** internal size: **48 x 538 mm**


air permeability: **50 cm²** Packaging : **1 pieces**

Product	Wood	Surface
LGZS060-550 BRL	 Birch	painting
LGZS060-550 BK	 Steam beech	with no surface processing
LGZS060-550 BKL	 Steam beech	painting
LGZS060-550 BR	 Birch	with no surface processing
LGZS060-550 DB	 Oak	with no surface processing
LGZS060-550 JV	 Maple	with no surface processing
LGZS060-550 SM	 Spruce	with no surface processing



external size: **78 x 550 mm** internal size: **66 x 538 mm**
 air permeability: **100 cm²** Packaging : **1 pieces**

Product	Wood	Surface
LGZS080-550 BRL	 Birch	painting
LGZS080-550 BK	 Steam beech	with no surface processing
LGZS080-550 BKL	 Steam beech	painting
LGZS080-550 BR	 Birch	with no surface processing
LGZS080-550 DB	 Oak	with no surface processing
LGZS080-550 JV	 Maple	with no surface processing
LGZS080-550 SM	 Spruce	with no surface processing



external size: **100x550 mm** internal size: **88 x 538 mm**
 air permeability: **150 cm²** Packaging : **5 pieces**

Product	Wood	Surface
LGZS100-550 BRL	 Birch	painting
LGZS100-550 BK	 Steam beech	with no surface processing
LGZS100-550 DB	 Oak	with no surface processing
LGZS100-550 JV	 Maple	with no surface processing
LGZS100-550 SM	 Spruce	with no surface processing










external size: **122x550 mm**


internal size: **110 x 538 mm**

air permeability: **200 cm²**

Packaging : **1 pieces**

Product	Wood	Surface
LGZS120-550 BRL	 Birch	painting
LGZS120-550 BK	 Steam beech	with no surface processing
LGZS120-550 BKL	 Steam beech	painting
LGZS120-550 BR	 Birch	with no surface processing
LGZS120-550 DB	 Oak	with no surface processing
LGZS120-550 JV	 Maple	with no surface processing
LGZS120-550 SM	 Spruce	with no surface processing


Plain wooden grills UGV1204R12-90







bar: 12 x 4 mm opening: 12 mm thickness of net: 4 mm angle: 90 ° Packaging : 1 pieces

Product	Wood	Surface
UGV1204R12-90 JV	 Maple	with no surface processing
UGV1204R12-90 BK	 Steam beech	with no surface processing
UGV1204R12-90 DB	 Oak	with no surface processing
UGV1204R12-90 SM	 Spruce	with no surface processing
UGV1204R12-90 JV	 Maple	with no surface processing
UGV1204R12-90 BK	 Steam beech	with no surface processing
UGV1204R12-90 DB	 Oak	with no surface processing
UGV1204R12-90 SM	 Spruce	with no surface processing

Plain wooden grills UGV1616R35-90



slupek: 16 x 16 mm opening: 35 mm thickness of net: 16 mm angle: 90 ° Jednostka opakowania: 1 m²

Product	Wood	Surface
UGV1616R35-90 JV	 Maple	with no surface processing
UGV1616R35-90 BK	 Steam beech	with no surface processing
UGV1616R35-90 DB	 Oak	with no surface processing
UGV1616R35-90 SM	 Spruce	with no surface processing

WOODEN GRILLS



If you are looking for decorative or ventilation grills don't hesitate to contact us! Wooden grills can be used for covering ventilation openings, kitchen cupboard doors, filling of staircase balustrades, heating screens etc. Our company Tockky sp. z o.o. offers for sale:

- plain wooden grills
- decorative wooden grills
- braided wooden grills

We offer the decorative grills in standard formats 600 mm x 1.200 mm but we can realise them in exclusively requested sizes within max. range up to 1.000 mm x 2.400 mm, detail polished finishing, coated on both sides, waxed or oiled. WE also offer for sale grills made of generally available wood but also of some of the exotic types. Visit our web site, where you can find necessary information and prices.

www.acoustic4you.com